Linzer biol. Beitr.	38/2	1741-1742	29.12.2006

Erratum ad Linzer biol. Beitr. 38/1: 165-187 (2006)

Crocus biflorus (Liliiflorae, Iridaceae) in Anatolia (Part Three)

H. KERNDORFF & E. PASCHE

Unfortunately, during editing and printing several errors accumulated in the published version of the aforementioned study, which we bring to the attention of the reader now. We appologize for any inconveniences.

Bedauerlicherweise kam es während der Redaktion und Drucklegung der genannten Publikation zu einigen Fehlern, die wir hiermit zur Kenntnis bringen. Wir entschuldigen uns für die entstandenen Unannehmlichkeiten.


The Editors / die Redaktion

List of errors

1) Table 2a: Column 7, line 6: read (2) 3 instead of 38413
   Column 7, line 21: read (2) 3 instead of 38413
2) Map 2: Corrected figure caption as follows:
   Map 2: Distribution of taxon groups (colours of first column of Tab. 3).
3) Map 3: See corrected version of Map 3 printed here.
4) Page 180, first line of last paragraph: read "important" instead of "importantly".
5) Corrected version of German summary as follows.

Zusammenfassung (korrigierte Version)

Die Ergebnisse von Freilanduntersuchungen an 15 Populationen von *Crocus biflorus* sensu lato aus Caria und Pisidia sowie zusätzlicher Populationen aus angrenzenden Teilen Anatoliens werden vergleichend dargestellt. Die Untersuchung berücksichtigt alle südwest-anatolischen Populationen (inklusive der 16 von Teil 2 aus Lycien und dem pisidischen Taurus). Morphologische, statistische, taxonomische, geographische und phytogeographische Aspekte werden dargestellt. Neben der Beschreibung zweier neuer Unterarten aus diesem Gebiet werden neue und unerwartete Daten in Bezug auf Verwandtschaft und Verbreitung der *C. biflorus* Taxa präsentiert.



Map 3: Phytogeographical classification.

Author's addresses: Dr Helmut KERNDORFF
Sundgauer Str. 144
D-14167, Berlin, Germany
E-Mail: helmut.kerndorff@uba.de

Erich PASCHE
Feldstr. 71
D-42555 Velbert (Langenberg), Germany